

Immunizations for Adolescents (IMA)

Measure Description: The percentage of adolescents 13 years of age who had one dose of meningococcal conjugate vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and has completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates

Applicable Provider Specialty: Mixed Specialty

Attribution Description: Members are attributed to physicians with whom they had at least one visit during the.

Denominator Definition: The percentage of adolescents who turn 13 years of age during 2018.

Qualifying Exclusions: Adolescents who had a contraindication for a specific vaccine from the denominator for all antigen rates. The denominator for all rates must be the same. Contraindicated adolescents may be excluded only if administrative data do not indicate that the contraindicated immunization was rendered.

Either of the following meets optional exclusion criteria:

- Anaphylactic reaction to the vaccine or its components (Anaphylactic Reaction Due To Vaccination Value Set) any time on or before the member's 13th birthday
- Anaphylactic reaction to the vaccine or its components (Anaphylactic reaction Due To Serum Value Set), with a date of service prior to October 1, 2011

Numerator Definitions:

• For meningococcal conjugate, Tdap and HPV, count only the evidence of the antigen or combination vaccine